

L Number	Hits	Search Text	DB	Time stamp
-	827	709/201.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/24 17:18
-	1089	709/201.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 17:18
-	82	709/201.ccls. and (mobile or presentation) near5 (logic or code or program or software or agent)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 17:20
-	41	(709/201.ccls. and (mobile or presentation) near5 (logic or code or program or software or agent)) and (process\$5 or execut\$5 or run\$3) with local\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 17:22
-	41	(709/201.ccls. and (mobile or presentation) near5 (logic or code or program or software or agent)) and (process\$5 or execut\$5 or run\$3) with (local\$5 or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 19:48
-	31	((709/201.ccls. and (mobile or presentation) near5 (logic or code or program or software or agent)) and (process\$5 or execut\$5 or run\$3) with (local\$5 or offline)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:29
-	82	("4499576" "4584679" "4623886" "4656474" "4736369" "4769815" "4853842" "5063562" "5072370" "5163131" "5193090" "5247676" "5261002" "5285445" "5287103" "5367523" "5412717" "5432715" "5442637" "5465328" "5491791" "5499297" "5526358" "5526489" "5528605" "5546391" "5555415" "5557748" "5572522" "5572582" "5613012" "5627766" "5689706" "5758184" "5761507" "5764625" "5768614" "5777987" "5778384" "5781703" "5793861" "5799321" "5806065" "5812773" "5812819" "5815667" "5819042" "5819272" "5828653" "5832514" "5835727" "5838907" "5845081" "5854901" "5864669" "5870540" "5872968" "5872971" "5875301" "5875306" "5878056" "5881051" "5887275" "5901138" "5916307" "5920697" "5922049" "5930479" "5956340" "5959995" "5987496" "6012059" "6012094" "6058389" "6088816" "6154128" "6157927" "6167358" "6173422" "6182086" "6397352" "6401136").PN.	USPAT	2003/04/24 17:35
-	5	6182086.URPN.	USPAT	2003/04/24 17:37
-	0	6477563.URPN.	USPAT	2003/04/24 18:13
-	42	(709/201.ccls. and (mobile or presentation) near5 (logic or code or program or software or agent)) and (process\$5 or execut\$5 or run\$3) with (local\$5 or off?line)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:28
-	360	(709/201.ccls. and (mobile or presentation or application) near5 (logic or code or program or software or agent)) and (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:06

-	4624	(mobile or presentation or application) near5 (logic or code or program or software or agent) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/26 15:16
-	25674	(mobile or presentation or application) near5 (logic or code or program or software or agent) and (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/27 20:32
-	2343	(mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:27
-	173	((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:28
-	5	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/201.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:30
-	116	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:29
-	82	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/\$.ccls.) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:00

-	5	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/201.ccls.) and 709/201.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:30
-	77	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/\$.ccls.) and @ad<20000621) not (((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) with (local\$5 or off?line or offline)) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3) near5 (client near5 server)) and 709/201.ccls.) and 709/201.ccls.)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:41
-	26190	(mobile or presentation or application) near5 (logic or code or program or software or agent) and (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) with (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 20:47
-	958	(mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 13:58
-	349	((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:00
-	641	((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) and (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 13:51

-	204	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:04
-	195	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:05
-	113	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:07
-	16	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) same (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:07

-	74	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) and (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:07
-	204	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:07
-	38	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) and (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:16
-	9	((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) same (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 14:06

-	29	(((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) and (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621) not ((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (local\$5 or off?line or offline)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) same (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (network\$3 or server or remot\$4 or web) near3 (application or program\$4) near5 (local\$5 or client)) same (download\$5 or retriev\$5 or transfer\$6) near5 (network\$3 or server or remot\$4 or web) near5 (local\$5 or client)) and @ad<20000621)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/24 21:16
-	222	((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:38
-	23	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (protion or part\$5) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) with (local\$5 or client or server or remot\$3 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 14:04
-	1405	client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:44

-	9	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) and (mobile or presentation or application) near3 (logic or code or program or software or agent) with (protion or part\$5) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) with (local\$5 or client or server or remot\$3 or off?line or offline)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 14:12
-	16	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) same (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:16
-	4	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) same (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:16
-	40	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) and (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:16
-	16	(((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) and (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:58

-	12	(((((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) and (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application)) and @ad<20000621) not (((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline))) same (client near5 (servic\$5 or process\$6 or execut\$6) with (network\$3 or web or www or internet or intranet or wireless or telecommunication) near5 application))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:16
-	0	6425017.URPN.	USPAT	2003/04/25 16:22
-	65	("4635208" "4677576" "4800488" "4821220" "4953080" "4972437" "5093914" "5119475" "5125091" "5133075" "5151987" "5168441" "5210874" "5212793" "5301280" "5307490" "5315703" "5442791" "5455953" "5463625" "5481715" "5485617" "5504898" "5511197" "5517645" "5519867" "5560029" "5574862" "5574918" "5577251" "5577252" "5581686" "5581760" "5598562" "5606719" "5619710" "5625775" "5652888" "5675796" "5687370" "5689708" "5764897" "5787251" "5787281" "5790789" "5794038" "5802291" "5822585" "5838916" "5857197" "5857201" "5864669" "5884316" "5889942" "5889957" "5907675" "5913061" "5933593" "5958004" "5958010" "6026428" "6061796" "6094688" "6105147" "6134594").PN.	USPAT	2003/04/25 16:23
-	4270	(client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:00
-	3216	((mobile or presentation or application) near3 (logic or code or program or software or agent) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:45
-	3398	((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:55

-	1291	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) same (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:47
-	1247	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:47
-	0	((("6484192").PN.) and (presentation same application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near3 (client or locally or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:58
-	49	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) same tier\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 16:58
-	30	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) same tier\$3 and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 17:41
-	943	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (application or portion or partial\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:41

-	76	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 17:40
-	40	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3) with application	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 18:39
-	40	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3) with application))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 17:40
-	23	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3) with application))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 17:41

-	17	(((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) near5 (portion or partial\$3) with application))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:05
-	14	("5287507" "5485617" "5517645" "5689703" "5706505" "5794038" "5822580" "5842018" "5848234" "5867650" "5911068" "6047289" "6144959" "6304967").PN.	USPAT	2003/04/25 17:56
-	477	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:11
-	1	("20010036173").PN.	USPAT; US-PGPUB	2003/04/25 18:50
-	1	("6490451").PN.	USPAT; US-PGPUB	2003/04/25 18:51
-	1	("6466977").PN.	USPAT; US-PGPUB	2003/04/25 18:51
-	339	(((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) and (servic\$5 or process\$6 or execut\$6 or request\$5) with (client with server) with (portion or partial\$3) with (application or software or program or code)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:04

-	1517	(((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) or (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:03
-	207	(((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:03
-	152	((((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and (servic\$5 or process\$6 or execut\$6 or request\$5) with (client with server) with (portion or partial\$3) with (application or software or program or code)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:05

-	99	((((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and (servic\$5 or process\$6 or execut\$6 or request\$5) with (client with server) with (portion or partial\$3) with (application or software or program or code)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:18
-	2	((((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) and (client with server) with (portion or partial\$3) with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and (servic\$5 or process\$6 or execut\$6 or request\$5) with (client with server) with (portion or partial\$3) with (application or software or program or code)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:13
-	2220	tier\$3 with (application or software or program or code)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:17
-	16197	logic near5 (portion or partial\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:15
-	20	(tier\$3 with (application or software or program or code)) same (logic near5 (portion or partial\$3))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:23
-	104	(tier\$3 with (application or software or program or code)) and (logic near5 (portion or partial\$3))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:18

-	20	((tier\$3 with (application or software or program or code)) and (logic near5 (portion or partial\$3))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:24
-	17	((tier\$3 with (application or software or program or code)) and (logic near5 (portion or partial\$3))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:24
-	0	((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) same ((tier\$3 with (application or software or program or code)) same (logic near5 (portion or partial\$3)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:23
-	119	(tier\$3 with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:49

-	41	(tier\$3 with (application or software or program or code)) same (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:24
-	25	((tier\$3 with (application or software or program or code)) same (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:49
-	10	((tier\$3 with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and process\$5 near5 locally	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 19:49
-	5	((tier\$3 with (application or software or program or code)) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with (((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and process\$5 near5 locally) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:46
-	462	(request\$3 near3 handl\$4) with local\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:36
-	600	((request\$3 or access\$3) near3 handl\$4) with local\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:37

-	13913	(servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:13
-	76973	(servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:23
-	404	((request\$3 or access\$3) near3 handl\$4) with local\$5) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:41
-	2	((((request\$3 or access\$3) near3 handl\$4) with local\$5) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline))) same (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:45
-	24	((((request\$3 or access\$3) near3 handl\$4) with local\$5) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline))))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 20:45
-	12	((((request\$3 or access\$3) near3 handl\$4) with local\$5) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline))) and (((client or locally) near5 (servic\$5 or process\$6 or execut\$6 or request\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or portion or partial\$3)) with ((mobile or presentation or application) near3 (logic or code or program or software or agent or distributed or shared) with (servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interactiv\$3) near5 (client or locally or off?line or offline)))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:13

-	876	(client with server) with (portion or partial\$3) with (application or software or program or code)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:52
-	18	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline)) same ((client with server) with (portion or partial\$3) with (application or software or program or code))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:13
-	9	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3) near5 (locally or off?line or offline)) same ((client with server) with (portion or partial\$3) with (application or software or program or code))) and @ad<200006215951694.URPN.	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:53
-	40		USPAT	2003/04/25 21:26
-	54118	(servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:48
-	4981	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:51
-	3103	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) with ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:51
-	14	((client with server) with (portion or partial\$3) with (application or software or program or code)) with (((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) with ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:53
-	22	((client with server) with (portion or partial\$3) with (application or software or program or code)) same (((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) with ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:53

-	118	((client with server) with (portion or partial\$3) with (application or software or program or code)) and (((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) with ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:53
-	10	((client with server) with (portion or partial\$3) with (application or software or program or code)) same (((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) with ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:58
-	1050	(client same server) same portion same interfac\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:21
-	48	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((client same server) same portion same interfac\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 21:58
-	32	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((client same server) same portion same interfac\$3)) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:29
-	2157	(client same server) same portion same (interfac\$3 or application or mobile or logic)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:51
-	123	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((client same server) same portion same (interfac\$3 or application or mobile or logic))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:22
-	2857	(servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3) same (client same server)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/26 16:47
-	842569	(servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:28

-	78	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((client same server) same portion same (interfac\$3 or application or mobile or logic)) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3) same (client same server))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:29
-	5286	((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:29
-	48	((((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((client same server) same portion same (interfac\$3 or application or mobile or logic)) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3) same (client same server))) and @ad<20000621	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:51
-	55145	(servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3 or interact\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/26 13:11
-	912	((client same server) same portion same (interfac\$3 or application or mobile or logic)) same ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3 or interact\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:51
-	42	((client same server) same portion same (interfac\$3 or application or mobile or logic)) same ((servic\$5 or process\$6 or execut\$6 or run\$3 or brows\$3 or request\$3 or interact\$5) with (network\$3 or web or www or internet or intranet or wireless or telecommunication or server) near5 (application or software or program\$3 or server)) same (((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) near5 (local\$3 or off?line or offline)) same ((servic\$5 or request\$5 or process\$5 or execut\$5 or run\$3 or brows\$3 or interact\$5 or retriev\$5 or receiv\$6) with (portion or partial\$3)))	USPAT; US-PGPUB; EPO; IBM_TDB	2003/04/25 22:51